



City of Chicago
Richard M. Daley, Mayor

Department of Environment

Henry L. Henderson
Commissioner

Twenty-fifth Floor
30 North LaSalle Street
Chicago, Illinois 60602-2575
(312) 744-7606 (Voice)
(312) 744-6451 (FAX)
(312) 744-3586 (TTY)

EPA Region 5 Records Ctr.



227761

August 11, 1997

Larry Jensen, C.H.P.
U.S. EPA, Region 5
77 W. Jackson Blvd.
AE-17J
Chicago, Illinois 60604-3590

RECEIVED

AUG 14 1997

AIR ENFORCEMENT BRANCH
U.S. EPA, REG. 5

Subject: Lindsay Light II Site -- Residual Contaminated Material in the
City of Chicago Right-of-Way

Dear Mr. Jensen:

As you are aware, the City of Chicago is in the process of drafting an Agreement regarding residual contaminated material present in the right-of-way adjacent to the Lindsay Light II site. In support of this Agreement, we request that you provide us with a single document consolidating information pertinent to the Agreement. The document should include, at a minimum, the following information:

1. A legal description of the Lindsay Light II site;
2. An overview of the remediation efforts to date for the Lindsay Light II site;
3. A description (in both narrative and drawing form, as appropriate) of the right-of-way adjacent to the Lindsay Light II site where residual contaminated material is present;
4. A description (in both narrative and drawing form, as appropriate) of the residual contaminated material to be left in place, including detailed information on the material's location, estimated volume, and the results of all testing performed on the material, including the results of any testing that may have been performed on groundwater encountered during remediation activities;
5. A position statement concerning the appropriateness of leaving the residual contaminated material in place from a public health and safety perspective;



Larry Jensen, C.H.P.

August 11, 1997

Page 2

6. A position statement concerning the appropriateness of leaving the residual contaminated material in place from a regulatory perspective; and
7. A plan for managing the contaminated material if it is encountered during future construction and/or development activities, including responsibilities of the USEPA and Kerr McGee in executing the plan.

Thank you in advance for your assistance. After you have had time to review this request, please let me know when you will be able to complete the requested document. If you have any questions, please contact me at (312) 744-7200.

744-4034

Respectfully,



David J. Reynolds, P.E.

Environmental Coordinator

cc: Henry Henderson, DOE
Bill Abolt, DOE
Joe Schuessler, DOE
Mort Ames, DOL

DJR/djr:LLIGHT01.WPD